INDEX TO AUTHORS

ABDOU, NABIH I., and RICHTER, MAXWELL. Cells involved in the immune response. VI. The immune response to red blood cells in irradiated rabbits after administration of normal, primed, or immune allogeneic rabbit bone marrow cells, 757

—. See RICHTER and ABDOU. 1261

ADLER, R. H. See TOURVILLE, ADLER, BIENENSTOCK, and TOMASI, 411

ALM, GUNNAR V., and PETERSON, RAYMOND D. A. Antibody and immunoglobulin production at the cellular level in bursectomized irradiated chickens, 1247

ALPER, CHESTER A. See JOHNSTON, KLEMPERER, ALPER, and ROSEN, 1275

AMBRUS, JULIAN L. See TAKADA, TAKADA, HUANG, and AMBRUS, 445

ANDERSSON, BIRGER. See WIGZELL and ANDERSSON, 23

AOKI, TADAO. See MELLORS, AOKI, and HUEBNER, 1045

ARMSTRONG, W. D., and DIENER, E. A new method for the enumeration of antigen-reactive cells responsive to a purified protein antigen, 371

—, DIENER, E., and SHELLAM, G. R. Antigen-reactive cells in normal, immunized, and tolerant mice, 393

—. See DIENER and ARMSTRONG, 591

ARTENSTEIN, MALCOLM S. See GOLDSCHNEIDER, GOTSCHLICH, and ARTENSTEIN, 1307, 1327

—. See GOTSCHLICH, GOLDSCHNEIDER, and ARTENSTEIN, 1367, 1385

ARTENSTEIN, MALCOLM S. See GOTSCHLICH, LIU, and ARTENSTEIN, 1349

ASOFSKY, RICHARD. See MANDEL and ASOFSKY, 1203

AUSTEN, K. FRANK. See GIGLI and AUSTEN, 679

BEARN, ALEXANDER G. See DANES and BEARN, 775

BECKER, ELMER L., and WARD, PETER A. Esterases of the polymorphonuclear leukocyte capable of hydrolyzing acetyl DL-phenylalanine β-naphthyl ester: relationship to the activatable esterase of chemotaxis, 569

BENACER AF, BARUJ. See FOERSTER, LAMELIN, GREEN, and BENACERRAF, 295

BIENENSTOCK, J. See TOURVILLE, ADLER, BIENENSTOCK, and TOMASI, 411

BILLINGHAM, R. E. See SILVERS and BILLINGHAM, 647

BLANDEN, R. V., LEFFORD, M. J., and MACKANESS, G. B. The host response to Calmette-Guérin bacillus infection in mice, 1079

BOKISCH, VIKTOR A., MÜLLER-EBERHARD, HANS J., COCHRANE, CHARLES G. Isolation of a fragment (C3a) of the third component of human complement containing anaphylatoxin and chemotactic activity and description of an anaphylatoxin inactivator of human serum, 1109

BOSMAN, CESARE, FELDMAN, JOSEPH D., and PICK, EDGAR. Heterogeneity of antibody-forming cells: an electron microscopic analysis, 1029

BRAUN, DIETMAR G., EICHMANN, KLAUS, and KRAUSE, RICHARD M.

Rabbit antibodies to streptococcal carbohydrates: influence of primary and secondary immunization and of possible genetic factors on the antibody response, 809

BRAY, KAREN K. See MORSE and BRAY, 523

BRITTON, SVEN. Regulation of antibody synthesis against *Escherichia coli* endotoxin. IV. Induction of paralysis in vitro by treating normal lymphoid cells with antigen, 469

BROWN, ROBIN. See GILL, PAPPENHEIMER, BROWN, and KURNICK, 1

BULL, ROBERT W. See BUNN, ESHAM, and BULL, 909

BUNN, H. FRANKLIN, and JANDL, JAMES H. The renal handling of hemoglobin. II. Catabolism, 925

–, ESHAM, WILLIAM T., and BULL, ROBERT W. The renal handling of hemoglobin. I. Glomerular filtration, 909

BYFIELD, PATRICIA, and SERCARZ, ELI. The X-Y-Z scheme of immunocyte maturation. VII. Cell division and the establishment of short-term IgM memory, 897

CHASE, MERRILL W. See MACHER and CHASE, 81, 103

CLIFFORD, P. See KLEIN, PEARSON, HENLE, HENLE, GOLDSTEIN, and CLIFFORD, 697

—. See PEARSON, KLEIN, HENLE, HENLE, and CLIFFORD, 707

COCHRANE, CHARLES G. See BOKISCH, MÜLLER-EBERHARD, and COCHRANE, 1109

—. See HENSON and COCHRANE, 153, 167

COHN, ZANVIL A., and EHRENREICH, BARBARA A. The uptake, storage, and intracellular hydrolysis of carbohydrates by macrophages, 201

—. See EHRENREICH and COHN, 227

COTRAN, RAMZI S., and LITT, MORTIMER. The entry of granule-associated peroxidase into the phagocytic vacuoles of eosinophils, 1291

—. See MCCALL, KATAYAMA, COTRAN, and FINLAND, 267

COWAN, K. M. Immunochemical studies of foot-and-mouth disease. V. Antigenic variants of virus demonstrated by immunodiffusion analyses with 19S but not 7S antibodies, 333

CROMARTIE, W. J. See OHANIAN, SCHWAB, and CROMARTIE, 37

CROWTHER, D., FAIRLEY, G. HAMILTON, and SEWELL, R. L. Lymphoid cellular responses in the blood after immunization in man, 849

CUDKOWICZ, G. See SHEARER and CUDKOWICZ, 935

—. See SHEARER, CUDKOWICZ, and PRIORE, 185

CUPPARI, GIROLAMO. See TARANTA, CUPPARI, and QUAGLIATA, 605

DAHL, LEWIS K. See IWAI, KNUDSEN, DAHL, HEINE, and LEITL, 507

—. See IWAI, KNUDSEN, DAHL, and TASSINARI, 663

DANES, B. SHANNON, and BEARN, ALEXANDER G. Cystic fibrosis of the pancreas: a study in cell culture, 775

DEVERILL, JOHANNA. See HARBOE, SOLHEIM, and DEVERILL, 1217

DIENER, E., and ARMSTRONG, W. D. Immunological tolerance in vitro: kinetic studies at the cellular level, 591

—. See ARMSTRONG and DIENER, 371

—. See ARMSTRONG, DIENER, and SHELLAM, 393

DIXON, FRANK J. See OLDSTONE and DIXON, 483

EGGERS, HANS J. See KATO, EGGERS, and ROLLY, 795
EHRENREICH, BARBARA A., and COHN, ZANVIL A. The fate of peptides pinocytosed by macrophages in vitro, 227
—. See COHN and EHRENREICH, 201
EICHMANN, KLAUS. See BRAUN, EICHMANN, and KRAUSE, 809
EISEN, HERMAN N. See LITTLE and EISEN, 247
ESHAM, WILLIAM T. See BUNN, ESHAM, and BULL, 909

FAIRLEY, G. HAMILTON. See CROWTHER, FAIRLEY, and SEWELL, 849
FELDMAN, JOSEPH D. See BOSMAN FELDMAN, and PICK, 1029
FINLAND, MAXWELL. See MCCALL, KATAYAMA, COTRAN, and FINLAND, 267
FLOCH, MARTIN H. See KHOURY, FLOCH, and HERSKOVIC, 1063
FOERSTER, JOHN, LAMELIN, JEAN-PIERRE, GREEN, IRA, and BENACERRAF, BARUJ. A quantitative study of the stimulation of DNA synthesis in lymph node cell cultures by anti-lymphocyte serum, anti-γ-globulin serum, specific antigen, and phytohemagglutinin, 295
FRANCIS, MARY W. See HANNA, NETTESHEIM, and FRANCIS, 953

GESNER, BERTRAM M. See WOODRUFF and GESNER, 551
GIGLI, IRMA, and AUSTEN, K. FRANK. Fluid phase destruction of $C2^{hu}$ by $C1^{hu}$. I. Its enhancement and inhibition by homologous and heterologous C4, 679
GILL, D. MICHAEL, PAPPENHEIMER, A. M., JR., BROWN, ROBIN, and KURNICK, JAMES T. Studies on the mode of action of diphtheria toxin. VII. Toxin-stimulated hydrolysis of nicotinamide adenine dinucleotide in mammalian cell extracts, 1
GOLDSCHNEIDER, IRVING, GOTSCHLICH, EMIL C., and ARTENSTEIN, MALCOLM S. Human immunity to the meningococcus. I. The role of humoral antibodies, 1307
—, —, and —. II. Development of natural immunity, 1327
—. See GOTSCHLICH, GOLDSCHNEIDER, and ARTENSTEIN, 1367, 1385
—. See SWANSON and GOLDSCHNEIDER, 51
GOLDSTEIN, G. See KLEIN, PEARSON, HENLE, HENLE, GOLDSTEIN, and CLIFFORD, 697
GOTSCHLICH, EMIL C., GOLDSCHNEIDER, IRVING, and ARTENSTEIN, MALCOLM S. Human immunity to the meningococcus. IV. Immunogenicity of group A and group C meningococcal polysaccharides in human volunteers, 1367
—, —, and —. V. The effect of immunization with meningococcal group C polysaccharide on the carrier state, 1385
—, LIU, TEH YUNG, and ARTENSTEIN, MALCOLM S. III. Preparation and immunochemical properties of the group A, group B, and group C meningococcal polysaccharides, 1349
—. See GOLDSCHNEIDER, GOTSCHLICH, and ARTENSTEIN, 1307, 1327
GREEN, IRA. See FOERSTER, LAMELIN, GREEN, and BENACERRAF, 295
GUSTAFSSON, BENGT E. See HAMMARSTRÖM, PERLMANN, GUSTAFSSON, and LAGERCRANTZ, 747

HAMMARSTRÖM, STEN, PERLMANN, PETER, GUSTAFSSON, BENGT E., and LAGERCRANTZ, RUTGER. Autoantibodies to colon in germfree rats monocontaminated with *Clostridium difficile*, 747
HANNA, M. G., JR., NETTESHEIM, P., and FRANCIS, MARY W. Require-

ment for continuous antigenic stimulation in the development and differentiation of antibody-forming cells: the effect of passive antibody on the primary and secondary response, 953

HARBOE, M., SOLHEIM, B. G., and DEVERILL, JOHANNA. Individual antigenic specificity of human macroglobulins. Localization of antigenic determinants and their use to demonstrate formation of hybrid molecules after reduction and reassociation, 1217

HAYS, ESTHER F. The effect of epithelial remnant and whole organ grafts of thymus on the recovery of thymectomized irradiated mice, 1235

HEINE, M. See IWAI, KNUDSEN, DAHL, HEINE, and LEITL, 507

HENLE, G. See KLEIN, PEARSON, HENLE, HENLE, GOLDSTEIN, and CLIFFORD, 697

—. See PEARSON, KLEIN, HENLE, HENLE, and CLIFFORD, 707

HENLE, W. See KLEIN, PEARSON, HENLE, HENLE, GOLDSTEIN, and CLIFFORD, 697

—. See PEARSON, KLEIN, HENLE, HENLE, and CLIFFORD, 707

HENSON, P. M., and COCHRANE, C. G. Immunological induction of increased vascular permeability. I. A rabbit passive cutaneous anaphylactic reaction requiring complement, platelets, and neutrophils, 153

— and —. II. Two mechanisms of histamine release from rabbit platelets involving complement, 167

HERSKOVIC, TEODORO. See KHOURY, FLOCH, and HERSKOVIC, 1063

HILL, WILLIAM C. The influence of the cellular infiltrate on the evolution and intensity of delayed hypersensitivity reactions, 363

—. See MACKANESS and HILL, 993

HUANG, CHESTER C. See TAKADA, TAKADA, HUANG, and AMBRUS, 445

HUEBNER, ROBERT J. See MELLORS, AOKI, and HUEBNER, 1045

IWAI, JUNICHI, KNUDSEN, KNUD D., DAHL, LEWIS K., HEINE, M., and LEITL, G. Genetic influence on the development of renal hypertension in parabiotic rats. Evidence for a humoral factor, 507

—, —, —, and TASSINARI, LORRAINE. Effect of adrenalectomy on blood pressure in salt-fed, hypertension-prone rats: failure of hypertension to develop in absence of evidence of adrenal cortical tissue, 663

JANDL, JAMES H. See BUNN and JANDL, 925

JERNE, N. K. See RAJEWSKY, SCHIRRMACHER, NASE, and JERNE, 1131

JOHNSTON, RICHARD B., KLEMPERER, MARTIN R., ALPER, CHESTER A., and ROSEN, FRED S. The enhancement of bacterial phagocytosis by serum: the role of complement components and two cofactors, 1275

KABAT, ELVIN A. See MORENO and KABAT, 871

KATAYAMA, ISAO. See MCCALL, KATAYAMA, COTRAN, and FINLAND, 267

KATO, NOBUO, EGGERS, HANS J., and ROLLY, HEINRICH. Inhibition of release of vaccinia virus by N_1-isonicotinoyl-N_2-3-methyl-4-chlorobenzoylhydrazine, 795

KHOURY, KENNETH A., FLOCH, MARTIN H., and HERSKOVIC, TEODORO. Effects of neomycin and penicillin administration on mucosal proliferation of the mouse small intestine: with morphological and functional correlations, 1063

KLEIN, G., PEARSON, G., HENLE,

G., HENLE, W., GOLDSTEIN, G., and CLIFFORD, P. Relation between Epstein-Barr viral and cell membrane immunofluorescence in Burkitt tumor cells. III. Comparison of blocking of direct membrane immunofluorescence and anti-EBV reactivities of different sera, 697
—. See PEARSON, KLEIN, HENLE, HENLE, and CLIFFORD, 707
KLEMPERER, MARTIN R. See JOHNSTON, KLEMPERER, ALPER, and ROSEN, 1275
KNUDSEN, KNUD D. See IWAI, KNUDSEN, DAHL, HEINE, and LEITL, 507
—. See IWAI, KNUDSEN, DAHL, and TASSINARI, 663
KRAUSE, RICHARD M. See BRAUN, EICHMANN, and KRAUSE, 809
KURNICK, JAMES T. See GILL, PAPPENHEIMER, BROWN, and KURNICK, 1

LAGERCRANTZ, RUTGER. See HAMMARSTRÖM, PERLMANN, GUSTAFSSON, and LAGERCRANTZ, 747
LAMELIN, JEAN-PIERRE. See FOERSTER, LAMELIN, GREEN, and BENACERRAF, 295
LEFFORD, M. J. See BLANDEN, LEFFORD, and MACKANESS, 1079
LEITL, G. See IWAI, KNUDSEN, DAHL, HEINE, and LEITL, 507
LITT, MORTIMER. See COTRAN and LITT, 1291
LITTLE, J. RUSSELL, and EISEN, HERMAN N. Specificity of the immune response to the 2,4-dinitrophenyl and 2,4,6-trinitrophenyl groups. Ligand binding and fluorescence properties of cross-reacting antibodies, 247
LIU, TEH YUNG. See GOTSCHLICH, LIU, and ARTENSTEIN, 1349

MACHER, EGON, and CHASE, MERRILL W. Studies on the sensitization of animals with simple chemical compounds. XI. The fate of labeled picryl chloride and dinitrochlorobenzene after sensitizing injections, 81
— and —. XII. The influence of excision of allergenic depots on onset of delayed hypersensitivity and tolerance, 103
MACKANESS, G. B. The influence of immunologically committed lymphoid cells on macrophage activity in vivo, 973
— and HILL, WILLIAM C. The effect of anti-lymphocyte globulin on cell-mediated resistance to infection, 993
—. See BLANDEN, LEFFORD, and MACKANESS, 1079
MANDEL, MARK A., and ASOFSKY, RICHARD. The effects of heterologous anti-thymocyte sera in mice. III. High susceptibility of germfree mice to suppressive effects of IgG from rabbit anti-mouse thymocyte serum, 1203
MARGARETTEN, WILLIAM, and MCKAY, DONALD G. The role of the platelet in the generalized Shwartzman reaction, 585
MARKOWITZ, A. S. See RAPAPORT, MARKOWITZ, and MCCLUSKEY, 623
MCCALL, CHARLES E., KATAYAMA, ISAO, COTRAN, RAMZI S., and FINLAND, MAXWELL. Lysosomal and ultrastructural changes in human "toxic" neutrophils during bacterial infection, 267
MCCLUSKEY, ROBERT T. See RAPAPORT, MARKOWITZ, and MCCLUSKEY, 623
MCGRATH, J. M., and STEWART, G. J. The effects of endotoxin on vascular endothelium, 833
MCKAY, DONALD G. See MARGARETTEN and MCKAY, 585
MELLORS, ROBERT C., AOKI, TADAO, and HUEBNER, ROBERT J. Further implication of murine leukemia

like virus in the disorders of NZB mice, 1045

MINTZ, BEATRICE, and PALM, JOY. Gene control of hematopoiesis. I. Erythrocyte mosaicism and permanent immunological tolerance in allophenic mice, 1013

MORENO, CARLOS, and KABAT, ELVIN A. Studies on human antibodies. VIII. Properties and association constants of human antibodies to blood group A substance purified with insoluble specific adsorbents and fractionally eluted with mono- and oligosaccharide, 871

MORSE, STEPHEN I., and BRAY, KAREN K. The occurrence and properties of leukocytosis and lymphocytosis-stimulating material in the supernatant fluids of *Bordetella pertussis* cultures, 523

MOSIER, DONALD E. Cell interactions in the primary immune response in vitro: a requirement for specific cell clusters, 351

MÜLLER-EBERHARD, HANS J. See BOKISCH, MÜLLER-EBERHARD, and COCHRANE, 1109

NAFF, GEORGE B. See RATNOFF, PENSKY, OGSTON, and NAFF, 315

NASE, S. See RAJEWSKY, SCHIRRMACHER, NASE, and JERNE, 1131

NETTESHEIM, P. See HANNA, NETTESHEIM, and FRANCIS, 953

NISBET, NORMAN W., SIMONSEN, MORTEN, and ZALESKI, MAREK. The frequency of antigen-sensitive cells in tissue transplantation: a commentary on clonal selection, 459

OGSTON, DEREK. See RATNOFF, PENSKY, OGSTON, and NAFF, 315

OHANIAN, S. H., SCHWAB, J. H., and CROMARTIE, W. J. Relation of rheumatic-like cardiac lesions of the mouse to localization of Group A streptococcal cell walls, 37

OLDSTONE, MICHAEL B. A., and DIXON, FRANK J. Pathogenesis of chronic disease associated with persistent lymphocytic choriomeningitis viral infection. I. Relationship of antibody production to disease in neonatally infected mice, 483

OSOBA, DAVID. Restriction of the capacity to respond to two antigens by single precursors of antibody-producing cells in culture, 141

OWEN, J. J. T., and RITTER, M. A. Tissue interaction in the development of thymus lymphocytes, 431

PALM, JOY. See MINTZ and PALM, 1013

PAPPENHEIMER, A. M., JR. See GILL, PAPPENHEIMER, BROWN, and KURNICK, 1

PEARSON, G., KLEIN, G., HENLE, G., HENLE, W., and CLIFFORD, P. Relation between Epstein-Barr viral and cell membrane immunofluorescence in Burkitt tumor cells. IV. Differentiation between antibodies responsible for membrane and viral immunofluorescence, 707

—. See KLEIN, PEARSON, HENLE, HENLE, GOLDSTEIN, and CLIFFORD, 697

PENSKY, JACK. See RATNOFF, PENSKY, OGSTON, and NAFF, 315

PERLMANN, PETER. See HAMMARSTRÖM, PERLMANN, GUSTAFSSON, and LAGERCRANTZ, 747

PETERSON, RAYMOND D. A. See ALM and PETERSON, 1247

PICK, EDGAR. See BOSMAN, FELDMAN, and PICK, 1029

PRIORE, R. L. See SHEARER, CUDKOWICZ, and PRIORE, 185

QUAGLIATA, FRANCO. See TARANTA, CUPPARI, and QUAGLIATA, 605

RAJEWSKY, K., SCHIRRMACHER, V., NASE, S., and JERNE, N. K. The requirement of more than one antigenic determinant for immunogenicity, 1131

RAPAPORT, FELIX T., MARKOWITZ, A. S., and MCCLUSKEY, ROBERT T. The bacterial induction of homograft sensitivity. III. Effects of Group A streptococcal membrane antisera, 623

RATNOFF, OSCAR D., PENSKY, JACK, OGSTON, DEREK, and NAFF, GEORGE B. The inhibition of plasmin, plasma kallikrein, plasma permeability factor, and the C'1r subcomponent of the first component of complement by serum C'1 esterase inhibitor, 315

RICHTER, MAXWELL, and ABDOU, NABIH I. Cells involved in the immune response. VII. The demonstration, using allotypic markers, of antibody formation by irradiation-resistant cells of irradiated rabbits injected with normal allogeneic bone marrow cells and sheep erythrocytes, 1261

—. See ABDOU and RICHTER, 757

RITTER, M. A. See OWEN and RITTER, 431

ROLLY, HEINRICH. See KATO, EGGERS, and ROLLY, 795

ROSEN, FRED S. See JOHNSTON, KLEMPERER, ALPER, and ROSEN, 1275

ROTHBARD, SIDNEY, and WATSON, ROBERT F. Comparison of reactions of antibodies to rat collagen and to rat kidney in the basement membranes of rat renal glomeruli, 1145

SCHIRRMACHER, V. See RAJEWSKY, SCHIRRMACHER, NASE, and JERNE, 1131

SCHWAB, J. H. See OHANIAN, SCHWAB, and CROMARTIE, 37

SELLERS, MARGARET I. Studies on the entry of viruses into the central nervous system of mice via the circulation: differential effects of vasoactive amines and CO_2 on virus infectivity, 719

SERCARZ, ELI. See BYFIELD and SERCARZ, 897

SEWELL, R. L. See CROWTHER, FAIRLEY, and SEWELL, 849

SHEARER, G. M., and CUDKOWICZ, G. Cellular differentiation of the immune system of mice. III. Separate antigen-sensitive units for different types of anti-sheep immunocytes formed by marrow-thymus cell mixtures, 935

—, —, and PRIORE, R. L. II. Frequency of unipotent splenic antigen-sensitive units after immunization with sheep erythrocytes, 185

SHELLAM, G. R. See ARMSTRONG, DIENER, and SHELLAM, 393

SILVERS, WILLYS K., and BILLINGHAM, R. E. Studies on the immunotherapy of runt disease in rats, 647

SIMBERKOFF, MICHAEL S., THORBECKE, G. JEANETTE, and THOMAS, LEWIS. Studies of pleuropneumonia-like organism infection. V. Inhibition of lymphocyte mitosis and antibody formation by mycoplasmal extracts, 1163

SIMONSEN, MORTEN. See NISBET, SIMONSEN, and ZALESKI, 459

SINCLAIR, NICHOLAS R. STC. Regulation of the immune response. I. Reduction in ability of specific antibody to inhibit long-lasting IgG immunological priming after removal of the Fc-fragment, 1183

SOLHEIM, B. G. See HARBOE, SOLHEIM, and DEVERILL, 1217

STAPLES, PARKER, J., and TALAL, NORMAN. Relative inability to in-

duce tolerance in adult NZB and NZB/NZW F_1 mice, 123
STEWART, G. J. See MCGRATH and STEWART, 833
SWANSON, JOHN, and GOLDSCHNEIDER, IRVING. The serum bactericidal system: ultrastructural changes in *Neisseria meningitidis* exposed to normal rat serum, 51

TAKADA, AKIKAZU, TAKADA, YUMIKO, HUANG, CHESTER C., and AMBRUS, JULIAN L. Biphasic pattern of thymus regeneration after whole-body irradiation, 445
TAKADA, YUMIKO. See TAKADA, TAKADA, HUANG, and AMBRUS, 445
TALAL, NORMAN. See STAPLES and TALAL, 123
TARANTA, ANGELO, CUPPARI, GIROLAMO, and QUAGLIATA, FRANCO. Dissociation of hemolytic and lymphocyte-transforming activities of streptolysin S preparations, 605
TASSINARI, LORRAINE. See IWAI, KNUDSEN, DAHL, and TASSINARI, 663
THOMAS, LEWIS. See SIMBERKOFF, THORBECKE, and THOMAS, 1163
THORBECKE, G. JEANETTE. See SIMBERKOFF, THORBECKE, and THOMAS, 1163
TOMASI, T. B. See TOURVILLE, ADLER, BIENENSTOCK, and TOMASI, 411
TOURVILLE, D. R., ADLER, R. H., BIENENSTOCK, J., and TOMASI, T. B. The human secretory immunoglobulin system: immunohistological localization of γA, secretory "piece," and lactoferrin in normal human tissues, 411

WARD, PETER A. See BECKER and WARD, 569
WATSON, ROBERT F. See ROTHBARD and WATSON, 1145
WIGZELL, HANS, and ANDERSSON, BIRGER. Cell separation on antigen-coated columns. Elimination of high rate antibody-forming cells and immunological memory cells, 23
WOODRUFF, JUDITH J., and GESNER, BERTRAM M. The effect of neuraminidase on the fate of transfused lymphocytes, 551

ZALESKI, MAREK. See NISBET, SIMONSEN, and ZALESKI, 459

INDEX TO SUBJECTS

ACETYL DL-phenylalanine β-naphthyl ester, esterases of the polymorphonuclear leukocyte capable of hydrolyzing, 569

Acid, deoxyribonucleic, synthesis in lymph node cell cultures, quantitative study of the stimulation of, 295

Adenine, nicotinamide dinucleotide, in mammalian cell extracts, diphtheria toxin–stimulated hydrolysis of, 1

Adrenalectomy, effect of, on blood pressure in salt-fed, hypertension-prone rats, 663

Alanine, acetyl DL-phenyl-, β-naphthyl ester, esterases of the polymorphonuclear leukocyte capable of hydrolyzing, 569

Allergenic depots, influence of excision on onset of delayed hypersensitivity and tolerance, 103

Allogeneic bone marrow cells and sheep erythrocytes, normal, demonstration, using allotypic markers, of antibody formation by irradiation-resistant cells of irradiated rabbits injected with, 1261

— rabbit bone marrow cells, normal, primed, or immune, immune response to red blood cells in irradiated rabbits after administration of, 757

Amines, vasoactive, and CO_2 in virus infectivity, 719

Anaphylatoxin, isolation of fragment of third component of human complement containing, and chemotactic activity and description of an anaphylatoxin inactivator of human serum, 1109

Anaphylaxis, passive cutaneous, requiring complement, platelets, and neutrophils, 153

Antibodies, antigenic variants of virus demonstrated by immunodiffusion analyses with 19S but not 7S, immunochemical studies of foot-and-mouth disease, 333

—, auto-, to colon in germfree rats monocontaminated with *Clostridium difficile*, 747

—, cross-reacting, ligand binding and fluorescence properties of, 247

—, human, and blood group A substance, 871

—, humoral, role of, in human immunity to the meningococcus, 1307

—, rabbit, to streptococcal carbohydrates, 809

—responsible for membrane and viral immunofluorescence, differentiation between, 707

Antibody formation by irradiation-resistant cells of irradiated rabbits injected with normal allogeneic bone marrow cells and sheep erythrocytes, 1261

— formation and lymphocyte mitosis, inhibition of, by mycoplasmal extracts, PPLO infection, 1163

— and immunoglobulin production at cellular level in bursectomized-irradiated chickens, 1247

—production, relationship of, to chronic disease associated with persistent lymphocytic choriomeningitis viral infection in neonatally infected mice, 483

— reaction, kidney and collagen, in rats, 1145

—, specific, reduction in ability of, to inhibit long-lasting IgG immunological priming after removal of the Fc fragment, 1183

Antibody synthesis against *Escherichia coli* endotoxin, regulation of, 469
Antibody-forming cells, heterogeneity of, 1029
— cells, high rate, elimination in cell separation on antigen-coated columns, 23
— cells, requirement for continuous antigenic stimulation in development and differentiation of, 953
Antibody-producing cells in culture, restriction of capacity to respond to two antigens by single precursors, 141
Antigen, induction of paralysis in vitro by treating normal lymphoid cells with, 469
—, purified protein, new method for enumeration of antigen-reactive cells responsive to, 371
—, specific, stimulation of DNA synthesis in lymph node cell cultures by, 295
Antigen-coated columns, cell separation on, elimination of high rate antibody-forming cells and immunological memory cells, 23
Antigenic determinant, requirement of more than one, for immunogenicity, 1131
— specificity of human macroglobulins, localization of antigenic determinants, 1217
— stimulation in development and differentiation of antibody-forming cells, 953
— variants of virus demonstrated by immunodiffusion analyses with 19S but not 7S antibodies, immunochemical studies of foot-and-mouth disease, 333
Antigen-reactive cells in normal, immunized, and tolerant mice, 393
— cells responsive to a purified protein antigen, new method for enumeration of, 371
Antigens, restriction of capacity of response to, by single precursors of antibody-producing cells in culture, 141
Antigen-sensitive cells in tissue transplantation, frequency of, commentary on clonal selection, 459
— units formed by marrow-thymus cell mixtures, 935
— units, unipotent, splenic, frequency after immunization with erythrocytes, 185
Antisera, Group A streptococcal membrane, effects of, the bacterial induction of homograft sensitivity, 623
Autoantibodies to colon in germfree rats monocontaminated with *Clostridium difficile*, 747

BACILLUS infection, Calmette-Guérin, in mice, host response to, 1079
Bacterial induction of homograft sensitivity, effects of Group A streptococcal membrane antisera, 623
— infection, lysosomal and ultrastructural changes in human "toxic" neutrophils during, 267
— phagocytosis, enhancement of, by serum, 1275
Bactericidal system, serum, ultrastructural changes in *Neisseria meningitidis*, 51
Benzene, dinitrochloro-, labeled, fate after sensitizing injections, 81
Benzoylhydrazine, N_1-isonicotinoyl-N_2-3-methyl-4-chloro-, inhibition of release of vaccinia virus by, 795
Blood cells, red, the immune response to, in irradiated rabbits after administration of normal, primed, or immune allogeneic rabbit bone marrow cells, 757
—, group A substance and human antibodies, 871
—, lymphoid, cellular responses in, after immunization in man, 849

Blood cells, pressure in salt-fed, hypertension-prone rats, effect of adrenalectomy on, 663
Bone marrow cells, normal allogeneic, and sheep erythrocytes, demonstration, using allotypic markers, of antibody formation by irradiation-resistant cells of irradiated rabbits injected with, 1261
—marrow cells, normal, primed, or immune allogeneic rabbit, immune response to red blood cells in irradiated rabbits after administration of, 757
Bordetella pertussis cultures, occurrence and properties of leukocytosis and lymphocytosis-stimulating material in the supernatant fluids of, 523
Burkitt tumor cells, relation between Epstein-Barr viral and cell membrane immunofluorescence in, 697, 707
Bursectomized-irradiated chickens, antibody and immunoglobulin production at the cellular level in, 1247

CALMETTE-GUÉRIN bacillus infection in mice, host response to, 1079
Carbohydrates, streptococcal, rabbit antibodies to, 809
—, uptake, storage, and intracellular hydrolysis by macrophages, 201
Carbon dioxide and vasoactive amines in virus infectivity, 719
Cardiac lesions, rheumatic-like, relation to localization of Group A streptococcal cell walls, 37
Catabolism, renal handling of hemoglobin, 925
Cell clusters, specific, a requirement for, cell interactions in the primary immune response in vitro, 351
— culture, study in, of cystic fibrosis in pancreas, 775
— cultures, lymph node, DNA synthesis in, 295
—division and the establishment of short-term IgM memory, the X-Y-Z scheme of immunocyte maturation, 897
Cell extracts, mammalian, diphtheria toxin-stimulated hydrolysis of nicotinamide adenine dinucleotide in, 1
— interactions in the primary immune response in vitro, a requirement for specific cell clusters, 351
— membrane and Epstein-Barr viral immunofluorescence in Burkitt tumor cells, relation between, 697, 707
— walls, Group A streptococcal, relation of localization to rheumatic-like cardiac lesions, 37
Cell-mediated resistance to infection, effect of anti-lymphocyte globulin on, 993
Cells, antibody-forming, antigenic stimulation in development and differentiation of, 953
—, antibody-forming, heterogeneity of, 1029
—, antibody-producing, in culture, restriction of capacity to respond to two antigens by single precursors, 141
—, antigen-reactive, in normal, immunized, and tolerant mice, 393
—, antigen-reactive, responsive to a purified protein antigen, new method for enumeration of, 371
—, antigen-sensitive, in tissue transplantation, frequency of, 459
—, Burkitt tumor, relation between Epstein-Barr viral and cell membrane immunofluorescence in, 697, 707
—, elimination of high rate antibody-forming cells and immunological memory cells in separation on antigen-coated columns, 23
—, immunologically committed lymphoid, influence of, on macrophage activity in vivo, 973
— involved in the immune response, 757, 1261

Cells, irradiation-resistant, antibody formation by, 1261
—, normal lymphoid, induction of paralysis in vitro by treating with antigen, 469
—, normal, primed, or immune allogeneic rabbit bone marrow, immune response to red blood cells in irradiated rabbits after administration of, 757
Cellular differentiation of immune system, frequency of unipotent splenic antigen-sensitive units after immunization with erythrocytes, 185
— differentiation of the immune system of mice, 935
— infiltrate, influence of, on the evolution and intensity of delayed hypersensitivity reactions, 363
—, intra-, hydrolysis, and uptake, storage, of carbohydrates by macrophages, 201
—level, antibody and immunoglobulin production at, in bursectomized irradiated chickens, 1247
—level, kinetic studies at, immunological tolerance in vitro, 591
— responses, lymphoid, in blood after immunization in man, 849
Central nervous system of mice, studies on entry of viruses into, via the circulation, 719
Chemical compounds, influence of excision of allergenic depots on onset of delayed hypersensitivity and tolerance, 103
— compounds, studies on sensitization, fate of labeled picryl chloride and dinitrochlorobenzene after injection, 81
—, immuno-, properties and preparation of the group A, group B, and group C meningococcal polysaccharides, human immunity to the meningococcus, 1349
—, immuno-, studies of foot-and-mouth disease, antigenic variants of virus demonstrated by immunodiffusion analyses with 19S but not 7S antibodies, 333
Chemotactic activity and description of an anaphylatoxin inactivator of human serum and isolation of a fragment (C3a) of the third component of human complement containing anaphylatoxin, 1109
Chemotaxis, relationship to the activatable esterase of, esterases of the polymorphonuclear leukocyte capable of hydrolyzing acetyl DL-phenylalanine β-naphthyl ester, 569
Chlorobenzene, dinitro-, labeled, fate after sensitizing injections, 81
Chlorobenzoylhydrazine, N_1-isonicotinoyl-N_2-3-methyl-4-, inhibition of release of vaccinia virus by, 795
Choriomeningitis viral infection, persistent lymphocytic, pathogenesis of chronic disease associated with, 483
Circulation, studies on entry of viruses into the central nervous system of mice via the, 719
Clonal selection, commentary on, frequency of antigen-sensitive cells in tissue transplantation, 459
Clostridium difficile, autoantibodies to colon in germfree rats monocontaminated with, 747
Collagen and kidney antibody reaction in rats, in basement membranes of rat renal glomeruli, comparison of, 1145
Colon, autoantibodies to, in germfree rats monocontaminated with *Clostridium difficile*, 747
Complement, the C′1r subcomponent of the first component of, inhibition of, by serum C′1 esterase inhibitor, 315
— ($C2^{hu}$), fluid phase destruction of, by $C1^{hu}$, its enhancement and inhibition by homologous and heterologous C4, 679
—components and two cofactors, role of, in enhancement of bacterial phagocytosis by serum, 1275
—, human, containing anaphylatoxin,

isolation of C3a fragment of third component of, 1109
Complement, in passive cutaneous anaphylactic reaction and immunological induction of increased vascular permeability, 153
—, involvement in histamine release from platelets, 167
Component, first, of complement, the C'1r subcomponent of the, inhibition of, by serum C'1 esterase inhibitor, 315
Cross-reacting antibodies, ligand binding and fluorescence properties of, 247
Culture, cell, study in, of cystic fibrosis of the pancreas, 775
— of antibody-producing cells, restriction of capacity to respond to two antigens by single precursors, 141
Cultures, *Bordetella pertussis*, occurrence and properties of leukocytosis and lymphocytosis-stimulating material in the supernatant fluids of, 523
—, lymph node cell, DNA synthesis in, 295
Cystic fibrosis of the pancreas, study in cell culture, 775

DEOXYRIBONUCLEIC acid synthesis in lymph node cell cultures, quantitative study of the stimulation of, 295
Determinants for immunogenicity, 1131
Differentiation of immune system, cellular, frequency of unipotent splenic antigen-sensitive units after immunization with erythrocytes, 185
Dinitrochlorobenzene, labeled, fate after sensitizing injections, 81
Diphtheria toxin, toxin-stimulated hydrolysis of nicotinamide adenine dinucleotide in mammalian cell extracts, 1
Disease, chronic, associated with persistent lymphocytic choriomeningitis viral infection, pathogenesis of, 483
Disease, foot-and-mouth, immunochemical studies of, 333
—, runt, in rats, studies on immunotherapy of, 647
Dissociation of hemolytic and lymphocyte-transforming activities of streptolysin S preparations, 605

ELECTRON microscopic analysis of heterogeneity of antibody-forming cells, 1029
Endothelium, vascular, effects of endotoxin on, 833
Endotoxin, effects of, on vascular endothelium, 833
—, *Escherichia coli*, regulation of antibody synthesis against, 469
Eosinophils, phagocytic vacuoles of, entry of granule-associated peroxidase into, 1291
Epithelial remnant and whole organ grafts of thymus, effect of, on the recovery of thymectomized irradiated mice, 1235
Epstein-Barr viral and cell membrane immunofluorescence in Burkitt tumor cells, relation between, 697, 707
Erythrocyte mosaicism and permanent immunological tolerance in allophenic mice, gene control of hematopoiesis, 1013
Erythrocytes, frequency of unipotent splenic antigen-sensitive units after immunization with, 185
—, sheep, and normal allogeneic bone marrow cells, antibody formation by irradiation-resistant cells of irradiated rabbits injected with, 1261
Escherichia coli endotoxin, regulation of antibody synthesis against, 469
Ester, acetyl DL-phenylalanine β-naphthyl, esterases of the polymorphonuclear leukocyte capable of hydrolyzing, 569

Esterase inhibitor, serum C′1, inhibition of plasmin, plasma kallikrein, plasma permeability factor, and C′1r subcomponent of the first component of complement by, 315
Esterases of the polymorphonuclear leukocyte capable of hydrolyzing acetyl DL-phenylalanine β-naphthyl ester, 569
Excision of allergenic depots, influence on onset of delayed hypersensitivity and tolerance, 103

FIBROSIS, cystic, of the pancreas, study in cell culture, 775
Filtration, glomerular, renal handling of hemoglobin, 909
Fluid phase destruction of $C2^{hu}$ by $C1^{hu}$, 679
Fluorescence properties and ligand binding of cross-reacting antibodies, 247
Foot-and-mouth disease, immunochemical studies of, 333

GENE control of hematopoiesis, 1103
Genetic factors, possible, and primary and secondary immunization, influence of, on the response of rabbit antibodies to streptococcal carbohydrates, 809
—influence on the development of renal hypertension in parabiotic rats, evidence of humoral factor, 507
Germfree mice, high susceptibility of, to the suppressive effects of IgG from rabbit anti-mouse thymocyte serum, 1203
—rats monocontaminated with *Clostridium difficile*, autoantibodies to colin in, 747
Globulin, anti-γ, serum, stimulation of DNA synthesis in lymph node cell cultures by, 295
—, anti-lymphocyte, effect of, on cell-mediated resistance to infection, 993
Glomerular filtration, renal handling of hemoglobin, 909
Glomeruli, rat renal, comparison of reactions of antibodies to rat collagen and to rat kidney in the basement membranes of, 1145
Grafts, effect of epithelial remnant and whole organ, of thymus on recovery of thymectomized-irradiated mice, 1235
Granule-associated peroxidase, entry of, into the phagocytic vacuoles of eosinophils, 1291

HEMATOPOIESIS, gene control of, 1013
Hemoglobin, renal handling of, catabolism, 925
—, renal handling of, glomerular filtration, 909
Hemolytic and lymphocyte-transforming activities of streptolysin S preparations, dissociation of, 605
Heterologous anti-thymocyte sera in mice, effects of, 1203
— and homologous C4, enhancement and inhibition of fluid phase destruction of $C2^{hu}$ by $C1^{hu}$ by, 679
Histamine release from platelets involving complement, immunological induction of increased vascular permeability, 167
Homograft sensitivity, bacterial induction of, 623
Homologous and heterologous C4, enhancement and inhibition of fluid phase destruction of $C2^{hu}$ by $C1^{hu}$ by, 679
Host response to Calmette-Guérin bacillus infection in mice, 1079
Humoral antibodies, role of, in human immunity to the meningococcus, 1307
— factor, evidence for, genetic influence on development of renal hypertension in parabiotic rats, 507

Hydrazine, N_1-isonicotinoyl-N_1-3-methyl-4-chlorobenzoyl-, inhibition of release of vaccinia virus by, 795
Hydrolysis, intracellular, uptake and storage of carbohydrates by macrophages, 201
—, toxin-stimulated, of nicotinamide adenine dinucleotide in mammalian cell extracts, 1
Hypersensitivity, delayed, and tolerance, influence of excision of allergenic depots on onset, 103
— reactions, delayed, influence of cellular infiltrate on evolution and intensity of, 363
Hypertension, renal, in parabiotic rats, genetic influence on development of, evidence for humoral factor, 507
Hypertension-prone, salt-fed rats, effect of adrenalectomy on blood pressure in, 663

IMMUNE response, cells involved in, 757, 1261
— response, primary, in vitro, cell interactions in, a requirement for specific cell clusters, 351
— response, specificity of, to the dinitrophenyl and trinitrophenyl groups, 247
— system, cellular differentiation, frequency of unipotent splenic antigen-sensitive units after immunization with erythrocytes, 185
— system, cellular differentiation of, of mice, 935
Immunity, human, to the meningococcus, development of natural immunity, 1327
—, human, to the meningococcus, meningococcal polysaccharides, 1349, 1367, 1385
—, human, to the meningococcus, role of humoral antibodies, 1307
—, natural, development of, human immunity to meningococcus, 1327
Immunization, lymphoid cellular responses in blood after, in man, 849
—, primary and secondary, influence of, and of possible genetic factors on the response of rabbit antibodies to streptococcal carbohydrates, 809
Immunized, normal, and tolerant mice, antigen-reactive cells in, 393
Immunochemical properties and preparation of the group A, group B, and group C meningococcal polysaccharides, human immunity to the meningococcus, 1349
— studies of foot-and-mouth disease, 333
Immunocyte maturation, X-Y-Z scheme of, 897
Immunocytes, anti-sheep, formed by marrow-thymus cell mixtures, separate antigen-sensitive units for different types of, cellular differentiation of the immune system of mice, 935
Immunofluorescence, Epstein-Barr viral and cell membrane, in Burkitt tumor cells, relation between, 697, 707
Immunogenicity of group A and group C meningococcal polysaccharides in human volunteers, 1367
—, requirement of more than one antigenic determinant for, 1131
Immunoglobulin and antibody production at cellular level in bursectomized-irradiated chickens, 1247
— system, human secretory, immunohistological localization, 411
Immunohistological localization of γA, secretory "piece," and lactoferrin in normal human tissues, 411
Immunological induction of increased vascular permeability, mechanisms of histamine release from platelets involving complement, 167

Immunological induction of increased vascular permeability, passive cutaneous anaphylactic reaction requiring complement, platelets, and neutrophils, 153
— priming, long-lasting IgG, reduction in ability of specific antibody to inhibit, after removal of the Fc fragment, regulation of the immune response, 1183
— memory cells, elimination in cell separation on antigen-coated columns, 23
— tolerance in vitro, kinetic studies at cellular level, 591
— tolerance, permanent and erythrocyte mosaicism in allophenic mice, gene control of hematopoiesis, 1013
Immunologically committed lymphoid cells, influence of, on macrophage activity in vivo, 973
Immunotherapy of runt disease in rats, studies on, 647
Induction, bacterial, of homograft sensitivity, 623
Infection, bacterial, lysosomal and ultrastructural changes in human "toxic" neutrophils during, 267
—, Calmette-Guérin bacillus, in mice, host response to, 1079
—, effect of anti-lymphocyte globulin on cell-mediated resistance to, 993
—, persistent lymphocytic choriomeningitis viral, pathogenesis of chronic disease associated with, 483
—, PPLO, inhibition of lymphocyte mitosis and antibody formation by mycoplasmal extracts, 1163
Infectivity, virus, vasoactive amines and CO_2 in, 719
Infiltrate, cellular, influence of, on the evolution and intensity of delayed hypersensitivity reactions, 363
Inhibition of lymphocyte mitosis and antibody formation by mycoplasmal extracts, PPLO infection, 1163
— of plasmin, plasma kallikrein, plasma permeability factor, and the C'1r subcomponent of the first component of complement by serum C'1 esterase inhibitor, 315
— of release of vaccinia virus, 795
Inhibitor, serum C'1 esterase, inhibition of plasmin, plasma kallikrein, plasma permeability factor, and C'1r subcomponent of the first component of complement by, 315
Injections, sensitizing, fate of labeled picryl chloride and dinitrochlorobenzene after, studies on the sensitization of animals with simple chemical compounds, 81
Intestine, mouse small, effects of neomycin and penicillin administration on mucosal proliferation of, 1063
Intracellular hydrolysis, and uptake and storage of carbohydrates by macrophages, 201
Irradiated bursectomized chickens, antibody and immunoglobulin production at the cellular level in, 1247
— rabbits, immune response to red blood cells in, after administration of normal, primed, or immune allogeneic rabbit bone marrow cells, 757
— rabbits injected with normal allogeneic bone marrow cells and sheep erythrocytes, antibody formation by irradiation-resistant cells of, 1261
— thymectomized mice, effect of epithelial remnant and whole organ grafts of thymus on the recovery of, 1235
Irradiation, whole-body, biphasic pattern of thymus regeneration after, 445
Irradiation-resistant cells of irradiated rabbits injected with normal allo-

geneic bone marrow cells and sheep erythrocytes antibody formation by, 1261
N_1-Isonicotinoyl-N_2-3-methyl-4-chlorobenzoylhydrazine, inhibition of release of vaccinia virus by, 795

KIDNEY. *See* Renal.
Kinetic studies at cellular level of immunological tolerance in vitro, 591

LACTOFERRIN, A, and secretory "piece," in normal human tissues, immunohistological localization of, human secretory immunoglobulin system, 411
Lesions, rheumatic-like cardiac, relation to localization of Group A streptococcal cell walls, 37
Leukemia-like virus, murine, in the disorders of NZB mice, 1045
Leukocyte, polymorphonuclear, capable of hydrolyzing acetyl DL-phenylalanine β-naphthyl ester, esterases of, 569
Leukocytosis and lymphocytosis-stimulating material in the supernatant fluids of *Bordetella pertussis* cultures, occurrence and properties of, 523
Ligand binding and fluorescence properties of cross-reacting antibodies, 247
Lymph node cell cultures, DNA synthesis in, 295
Lymphocyte, anti-, globulin, effect of, on cell-mediated resistance to infection, 993
—, anti-, serum, stimulation of DNA synthesis in lymph node cell cultures by, 295
— mitosis and antibody formation, inhibition of, by mycoplasmal extracts, PPLO infection, 1163
Lymphocytes, thymus, tissue interaction in the development of, 431
—, transfused, effect of neuraminidase on fate of, 551
Lymphocyte-transforming and hemolytic activities of streptolysin S preparations, dissociation of, 605
Lymphocytic choriomeningitis viral infection, persistent, pathogenesis of chronic disease associated with, 483
Lymphocytosis-stimulating material and leukocytosis in the supernatant fluids of *Bordetella pertussis* cultures, occurrence and properties of, 523
Lymphoid cells, immunologically committed, influence of, on macrophage activity in vivo, 973
— cells, normal, induction of paralysis in vitro by treating with antigen, 469
— cellular responses in the blood after immunization in man, 849
Lysosomal and ultrastructural changes in human "toxic" neutrophils during bacterial infection, 267

MACROGLOBULINS, human, individual antigenic specificity of, 1217
Macrophage activity in vivo, influence of immunologically committed lymphoid cells on, 973
Macrophages, pinocytosis of peptides in vitro, 227
—, uptake, storage, and intracellular hydrolysis by, 201
Mammalian cell extracts, diphtheria toxin-stimulated hydrolysis of nicotinamide adenine dinucleotide in, 1
Man, immunity to the meningococcus in, development of natural immunity, 1327
—, immunity to the meningococcus in, effect of immunization with meningococcal group C polysaccharide on the carrier state, 1385

Man, immunity to the meningococcus in, immunogenicity of group A and group C meningococcal polysaccharides in human volunteers, 1367
—, immunity to the meningococcus in, preparation and immunochemical properties of the group A, group B, and group C meningococcal polysaccharides, 1349
—, immunity to the meningococcus in, role of humoral antibodies, 1307
—, individual antigenic specificity of macroglobulins in, localization of antigenic determinants and their use to demonstrate formation of hybrid molecules after reduction and reassociation, 1217
—, isolation of a fragment (C3a) of the third component of complement of, containing anaphylatoxin and chemotactic activity and description of an anaphylatoxin inactivator of human serum, 1109
—, lymphoid cellular responses in the blood after immunization in, 849
—, lysosomal and ultrastructural changes in "toxic" neutrophils of, during bacterial infection, 267
—, secretory immunoglobulin system in, immunohistological localization of γA, secretory "piece," and lactoferrin in normal human tissues, 411
—, studies on antibodies of, properties and association constants of human antibodies to blood group A substance purified with insoluble specific adsorbents and fractionally eluted with mono- and oligosaccharide, 871
Marrow cells, normal allogeneic bone, and sheep erythrocytes, antibody formation by irradiation-resistant cells of irradiated rabbits injected with, 1261
— cells, normal, primed, or immune allogeneic rabbit bone, immune response to red blood cells in irradiated rabbits after administration of, 757
Marrow-thymus cell mixtures, separate antigen-sensitive units for different types of anti-sheep immunocytes formed by, cellular differentiation of the immune system of mice, 935
Membrane antisera, Group A streptococcal, effects of, on bacterial induction of homograft sensitivity, 623
—, cell, and Epstein-Barr viral immunofluorescence in Burkitt tumor cells, relation between, 697, 707
Membranes, basement, or rat renal glomeruli, comparison of reactions of antibodies to rat collagen and to rat kidney in, 1145
Memory, immunological, elimination of cells by separation on antigen-coated columns, 23
—, short-term IgG, cell division and the establishment of, the X-Y-Z scheme of immunocyte maturation, 897
Meningococcus, human immunity to the, development of natural immunity, 1327
—, human immunity to the, meningococcal polysaccharides, 1349, 1367, 1385
—, human immunity to the, role of humoral antibodies, 1307
Methyl - 4 - chlorobenzoylhydrazine, N_1-isonicotinoyl-N_2-3-, inhibition of release of vaccinia virus by, 795
Microscope, electron, analysis, of heterogeneity of antibody-forming cells, 1029
Mitosis, lymphocyte, and antibody formation, inhibition of, by mycoplasmal extracts, PPLO infection, 1163
Molecules, hybrid, localization of antigenic determinants and their use to demonstrate formation of,

after reduction and reassociation, individual antigenic specificity of human macroglobulins, 1217
Morphological and functional correlations, effects of neomycin and penicillin administration on mucosal proliferation of mouse small intestine, 1063
Mucosal proliferation in mouse small intestine, effects of neomycin and penicillin administration on, 1063
Murine leukemia-like virus in the disorders of NZB mice, 1045
Mycoplasmal extracts, inhibition of lymphocyte mitosis and antibody formation by, PPLO infection, 1163

NAPHTHYL, acetyl DL-phenylalanine β-, ester, esterases of the polymorphonuclear leukocyte capable hydrolyzing, 569
Neissria meningitidis, ultrastructural changes by serum bactericidal system, 51
Neomycin and penicillin administration, effects of, on mucosal proliferation of mouse small intestine, 1063
Nervous system, central, of mice, studies on entry of viruses into, via the circulation, 719
Neuraminidase, effect of, on the fate of transfused lymphocytes, 551
Neutrophils, human "toxic," lysosomal and ultrastructural changes in, during bacterial infection, 267
— in passive cutaneous anaphylactic reaction and immunological induction of increased vascular permeability, 153
Nicotinamide adenine dinucleotide in mammalian cell extracts, diphtheria toxin–stimulated hydrolysis of, 1
Nicotinoyl-N_2-3-methyl-4-chlorobenzoylhydrazine N_1-iso-, inhibition of release of vaccinia virus by, 795
Nitrochlorobenzene, di-, labeled, fate after sensitizing injections, 81
Nucleic acid, deoxyribo-, synthesis in lymph node cell cultures, quantitative study of the stimulation of, 295
NZB and NZB/W F_1 mice, relative inability to induce tolerance in, 123

PANCREAS, cystic fibrosis of, 775
Paralysis, induction of, in vitro by treating normal lymphoid cells with antigen, 469
Passive cutaneous anaphylactic reaction requiring complement, platelets, and neutrophils, 153
Pathogenesis of chronic disease associated with persistent lymphocytic choriomeningitis viral infection, 483
Penicillin and neomycin administration, effects of, on mucosal proliferation of mouse small intestine, 1063
Peptides, pinocytosis by macrophages in vitro, 227
Permeability factor, plasma, inhibition of, by serum C′1 esterase inhibitor, 315
—, increased vascular, immunological induction of, a rabbit passive cutaneous, anaphylactic reaction requiring complement, platelets, and neutrophils, 153
—, increased vascular, immunological induction of, two mechanisms of histamine release from rabbit platelets involving complement, 167
Peroxidase, granule-associated, entry of, into the phagocytic vacuoles of eosinophils, 1291
Phagocytic vacuoles of eosinophils, entry of granule-associated peroxidase into, 1291
Phagocytosis, bacterial, enhancement of, by serum, 1275

Phenylalanine, acetyl DL-, β-naphthyl ester, esterases of the polymorphonuclear leukocyte capable of hydrolyzing, 569
Phytohemagglutinin, stimulation of DNA synthesis in lymph node cell cultures by, 295
Picryl chloride, labeled, fate after sensitizing injections, 81
Pinocytosis, of peptides by macrophages in vitro, 227
Plasma kallikrein, inhibition of, by serum C'1 esterase inhibitor, 315
— permeability factor, inhibition of, by serum C'1 esterase inhibitor, 315
Plasmin, inhibition of, by serum C'1 esterase inhibitor, 315
Platelet, role of, in generalized Shwartzman reaction, 585
Platelets, histamine release involving complement, 167
— in passive cutaneous anaphylactic reaction and immunological induction of increased vascular permeability, 153
Polymorphonuclear leukocyte capable of hydrolyzing acetyl DL-phenylalanine β-naphthyl ester, esterases of, 569
Polysaccharide, meningococcal group C, on the carrier state, effect of immunization with, in man, 1385
Polysaccharides, group A, group B, and group C meningococcal, preparation and immunochemical properties of, in man, 1349
—, group A and group C meningococcal, in human volunteers, immunogenicity of, 1367
Pneumonia, pleuropneumonia-like organisms, infection, inhibition of lymphocyte mitosis and antibody formation by mycoplasmal extracts, 1163
Precursors of antibody-producing cells in culture, restriction of capacity to respond to two antigens, 141
Protein antigen, purified, new method for enumeration of antigen-reactive cells responsive to, 371

RADIOACTIVE picryl chloride and dinitrochlorobenzene, fate after sensitizing injections, 81
Reaction, generalized Shwartzman, role of platelet in, 585
Regeneration, thymus, after whole-body irradiation, biphasic pattern of, 445
Regulation of antibody synthesis against *Escherichia coli* endotoxin, 469
— of immune response, 1183
Renal glomeruli, rat, comparison of reactions of antibodies to rat collagen and to rat kidney in the basement membranes of, 1145
— handling of hemoglobin, catabolism, 925
— handling of hemoglobin, glomerular filtration, 909
— hypertension in parabiotic rats, genetic influence on development of evidence for humoral factor, 507
Response to antigens, restriction by single precursors of antibody-producing cells in culture, 141
—, immune, cells involved in, 757
Rheumatic-like cardiac lesions, relation to localization of Group A streptococcal cell walls, 37
Ribonucleic acid, deoxy-, synthesis in lymph node cell cultures, quantitative study of the stimulation of, 295
Runt disease in rats, studies on immunotherapy of, 647

SACCHARIDE, mono-, and oligosaccharide, properties and association constants of human antibodies to blood group A substance purified with insoluble specific adsorbents and fractionally eluted with, 871
—, poly-, meningococcal group C, on the carrier state, effect of immunization with, in man, 1385
Saccharides, poly-, group A, group B,

and group C meningococcal, preparation and immunochemical properties of, in humans, 1349
Saccharides, poly-, group A and group C meningococcal, in human volunteers, immunogenicity of, 1367
Salt-fed, hypertension-prone rats, effect of adrenalectomy on blood pressure in, 663
Secretory immunoglobulin system, human, immunohistological localization of γA, secretory "piece," and lactoferrin in normal human tissues, 411
Selection, clonal, commentary on, frequency of antigen-sensitive cells in tissue transplantation, 459
Sensitive, antigen-, cells, frequency of, in tissue transplantation, 459
—, antigen-, units, separate, for different types of anti-sheep immunocytes formed by marrow-thymus cell mixtures, cellular differentiation of the immune system of mice, 935
—, antigen-, units, unipotent splenic, frequency of, after immunization with sheep erythrocytes, cellular differentiation of the immune system of mice, 185
Sensitivity, homograft, bacterial induction of, 623
Sensitization with simple chemical compounds, fate of labeled picryl chloride and dinitrochlorobenzene after injection, 81
— with simple chemical compounds, influence of excision of allergenic depots on onset of delayed hypersensitivity and tolerance, 103
Sera, different, comparison of blocking of direct membrane immunofluorescence and anti-EBV reactivities of, relation between Epstein-Barr viral and cell membrane immunofluorescence in Burkitt tumor cells, 697
—, heterologous anti-thymocyte, effects of, in mice, 1203
Serum, anti-γ globulin, stimulation of DNA synthesis in lymph node cell cultures by, 295
—, anti-lymphocyte, stimulation of DNA synthesis in lymph node cell cultures by, 295
— bactericidal system, ultrastructural changes in *Neisseria meningitidis*, 51
— C'1 esterase inhibitor, inhibition of plasmin, plasma kallikrein, plasma permeability factor, and C'1r subcomponent of the first component of complement by, 315
—, enhancement of bacterial phagocytosis by, 1275
—, human, isolation of a fragment (C3a) of the third component of human complement containing anaphylatoxin and chemotactic activity and description of an anaphylatoxin inactivator of, 1109
Shwartzman reaction, generalized, role of platelet in, 585
Specificity of the immune response to the dinitrophenyl and trinitrophenyl groups, 247
—, individual antigenic, of human macroglobulins, 1217
Spleen, frequency of unipotent antigen-sensitive units after immunization with erythrocytes, 185
Streptococcal carbohydrates, rabbit antibodies to, 809
— cell walls, Group A, relation of localization to rheumatic-like cardiac lesions, 37
—, Group A, membrane antisera, effects of, bacterial induction of homograft sensitivity, 623
Streptolysin S preparations, dissociation of hemolytic and lymphocyte-transforming activities of, 605
Subcomponent, C'1r, of the first component of complement, inhibition of, by serum C'1 esterase inhibitor, 315
Synthesis, antibody, against *Escherichia coli*, regulation of, 469
—, DNA, in lymph node cell cultures,

quantitative study of the stimulation of, 295

THYMOCYTE, heterologous antisera, effects of, in mice, 1203
Thymus grafts, effect of, on recovery of thymectomized-irradiated mice, 1235
— lymphocytes, tissue interaction in the development of, 431
— regeneration after whole-body irradiation, biphasic pattern of, 445
Thymus-marrow cell mixtures, separate antigen-sensitive units for different types of anti-sheep immunocytes formed by, cellular differentiation of the immune system of mice, 935
Tissue, adrenal cortical, failure of hypertension to develop in absence of, in rats, 663
— interaction in the development of thymus lymphocytes, 431
— transplantation, frequency of antigen-sensitive cells, 459
Tissues, normal human, immunohistological localization of γA, secretory "piece," and lactoferrin in, 411
Tolerance and delayed hypersensitivity, influence of excision of allergenic depots on onset, 103
—, immunological, in vitro, kinetic studies at cellular level, 591
—, inability to induce in NZB and NZB/NZW F_1 mice, 123
Toxic neutrophils, human, lysosomal and ultrastructural changes in, during bacterial infection, 267
Toxin, diphtheria, toxin-stimulated hydrolysis of nicotinamide adenine dinucleotide in mammalian cell extracts, 1
Transplatation, tissue, frequency of antigen-sensitive cells, 459
Tumor, Burkitt, cells, relation between Epstein-Barr viral and cell membrane immunofluorescence in, 697, 707

ULTRASTRUCTURAL changes in *Neisseria meningitidis* exposed to normal rat serum, the serum bactericidal system, 51
— and lysosomal changes in human "toxic" neutrophils during bacterial infection, 267

VACCINIA virus, inhibition of release of, 795
Vascular endothelium, effects of endotoxin on, 833
— permeability, immunological induction, mechanisms of histamine release from platelets involving complement, 167
— permeability, immunological induction, passive cutaneous anaphylactic reaction requiring complement, platelets, and neutrophils, 153
Vasoactive amines and CO_2 in virus infectivity, 719
Viral, Epstein-Barr, and cell membrane immunofluorescence in Burkitt tumor cells, relation between, 697, 707
— infection, persistent lymphocytic choriomeningitis, pathogenesis of chronic disease associated with, 483
Virus, antigenic variants of, demonstrated by immunodiffusion analyses with 19S but not 7S antibodies, immunochemical studies of foot-and-mouth disease, 333
— infectivity, vasoactive amines and CO_2 in, 719
—, murine leukemia-like, in the disorders of NZB mice, 1045
—, vaccinia, inhibition of release of, 795
Viruses, studies on the entry of, into central nervous system of mice via the circulation, 719

X-Y-Z scheme of immunocyte maturation, 897